




HUXXA™
STRENGTH YOU TRUST. VALUE YOU DESERVE

COMPLETE CONSTRUCTION SOLUTION



PRODUCTS	PACK SIZE & PRODUCTS NAME	AREA OF APPLICATION	
	HUXXA FT 100 POLYMER BASED TILE ADHESIVE 20 & 40Kg	Floor, Wall Tiling up to Dado Level Suitable for 12"x12", 12"x18", 12"x24" Ceramic Tiles Indoor Use Only COLOUR : Grey GRADE : IS : Type1, EN : 12004-C1T	
	HUXXA NSA 200 HIGH POLYMER BASED TILE ADHESIVE 20 & 40Kg	Wall & floor tiles, Vitrified tiles Tile Size: 2 ft x 2 ft up to 10 Sq.ft Tile sizes Door / Window Framing Indoor & Outdoor flooring Application COLOUR : Grey & White GRADE : IS : Type2, EN : 12004-C2T	
	HUXXA VT 300 POLYMER BASED TILE ADHESIVE 20 & 40Kg	MARBLE / GRANITE / LARGE SIZE TILES Application up to 12 Sq.ft Tile sizes Wall Application / Door & Window, Granite & Marble Framing Indoor & Outdoor Application COLOUR: Grey & White GRADE: IS : Type3, EN : 12004-C2TE	
	HUXXA GTA 400 POLYMER BASED TILE ADHESIVE 40Kg	MARBLE / GRANITE / LARGE SIZE TILES Application: 15-20 Sq.ft Tile sizes Wall Application / Door & Window, Granite & Marble Framing Indoor & Outdoor Application COLOUR : Grey & White GRADE : IS-Type4, EN-12004-C2TEST	
	HUXXA FPA 500 4 Kg	All types tiles, glass mosaic tiles, large format tiles, precast terrazzo, all-natural stones, large thin/ slim tiles, composites / artificial / nano engineered stone, metal & glass tiles.	
	HUXXA BJM 33 BLOCK JOINTING MORTAR 40Kg	INTERIOR & EXTERIOR USE Preparing Thin Bed Jointing Mortar For Lightweight Blocks (AAC Blocks) Easy Application & Strong Bonding	
	HUXXA RMP 34 READY MIX PLASTER EASY TO USE PREMIX PLASTER 40Kg	AAC Block Walls Fly Ash Block Walls Clay Brick Walls Stone Walls RCC surface	
	HUXXA FL 35 FLOOR HARDENER NON METALLIC FLOOR HARDENER 40Kg	Improves Resistance Minimizes Surface Dusting Bonds Monolithically with Base Concrete Enhances Surface Durability & Strength	
	HUXXA MRM 36 MICRO CONCRETE 40Kg	Repair of Damaged RCC Elements Slabs, Beams, Columns & Walls RCC Column Jacketing Increases Load-Bearing Capacity Structural Strengthening & Rehabilitation	
	HUXXA FG 37 FOUNDATION GROUT FOUNDATION GROUT GROUT FOR DIAPHRAGM WALL 40Kg	Base plate grouting Core-Cut gap filling & repair work Foundation pocket bolt anchoring Diaphragm wall bolt anchoring	
	HUXXA WCC 38 1, 5 & 20 Kg	For decorative finishes, tile grouting, joint filling, surface finishing, crack filling, and architectural concrete applications.	

PRODUCTS	PACK SIZE & PRODUCTS NAME	AREA OF APPLICATION	
	HUXXA WALL PUTTY 39 20 & 40 Kg	Wall plaster Ceilings RCC surfaces Smoothing of walls for both indoor and outdoor Renders a smooth and durable surface Under layer for all kinds of decorative paints	
	HUXXA EG 2K 1 & 5 Kg	Filling tile joints in floors and walls Suitable for bathrooms, kitchens & wet areas Ideal for swimming pools & water tanks Suitable for marble, granite & ceramic tiles Provides water-resistant and durable joints Suitable for residential & commercial applications	
	HUXXA EG 2 PART EPOXY GORT 1 & 5 Kg	Grouting tiles, marble, granite & natural stone Suitable for walls and floors Ideal for wet areas, kitchens & bathrooms Suitable for residential and commercial applications For joints requiring strong, durable bonding	
	HUXXA EG 3K 1 & 5 Kg	Tile & stone joint filling Swimming pools & wet areas Bathrooms & kitchens Commercial & industrial flooring High-traffic areas Chemical & stain-resistant applications Interior & exterior applications	
	HUXXA CPG (POLYMER BASE CEMENT GROUT) 500g, 1kg, 10Kg	Filling tile & stone joints Floor & wall grouting Bathrooms & kitchens Residential & commercial areas Filling gaps around tiles Interior & exterior applications	
	HUXXA VALENS SUPER STRENGTH, MULTIPURPOSE EPOXY ADHESIVE 450gm, 900gm, 1.8gm & 9Kg	Stone & marble fixing Steel railing grouting Stone mosaic installation Super-strength epoxy adhesive Medium curing system	
	HUXXA MULTI POTENS SUPER STRENGTH, MULTIPURPOSE EPOXY ADHESIVE 1.8gm, 9Kg & 90Kg	Ceramics Automobiles Wood Industry Sports goods Civil industry Mattle to rubber	
	HUXXA SBR 110 & SBR 111 500gm, 1kg, 5kg, 10Kg, 20kg, 50kg & 200kg	Bonding Slurry for old to New Concrete joints Small to Medium areas waterproofing Admixture for cement mortar to improve its flexure strength	
	HUXXA ABP 12 1kg, 5kg, 10Kg, 20kg, 50kg	Waterproofing of roofs, walls & water storage tanks Repairs to spelled concrete Bond coat for old to new concrete Primer for Reinforcement steel	
	HUXXA SHILD 2K 13 3Kg, 15Kg, 30Kg & 90Kg SET	Water Tanks & Swimming Pools Roofs & Terraces Surface Levelling & Repair Crack Sealing Protection Tough & Durable Coating	
	HUXXA LW 22 1kg, 5kg, 10Kg, 20kg, 50kg & 200kg	Increases strength, Improves work ability Reduction in corrosion of steel Makes cohesive concrete	

PRODUCTS	PACK SIZE & PRODUCTS NAME	AREA OF APPLICATION	
	HUXXA SILCOAT 15 & 16 1Kg, 4KG, 20 Kg	Uses: Waterproofing for roofs, terraces, bathrooms, balconies, basements, walls & concrete surfaces.	
	HUXXA WM 17 4 & 20Kg	Uses: Waterproofing for roofs, terraces, balconies, bathrooms, walls, concrete surfaces & wet areas.	
	HUXXA BM 18 20 Kg	Uses: Waterproofing for roofs, foundations, basements, terraces, retaining walls & underground structures.	
	HUXXA 1K PU 19 25 Kg	Mix Thoroughly Brush/Roller Application Uniform Coating 1 mm DFT Minimum Water & Weather Resistant Durable Protection	
	HUXXA CRACK & FIX (EPOXY BASE) 1.5Kg, 7.5Kg, 45 Kg	Concrete Primer Core cutting Epoxy Injection Grout Epoxy Mortar Repair Compound Bonding Agent for Old & New Concrete	

NOTES:





OUR DIVISION

CONSTRUCTION CHEMICALS

EPOXY ADHESIVE

EPOXY & PU FLOORING

WATER PROOFING PRODUCTS

EPOXY RESIN & CURING AGENT

ELECTRONIC & COMPOSITE

PAINT & COATING

STONE CARE

ART & CRAFT

FRP & PULTRUSION PRODUCT

SHREEJI CONCHEM

Regd office : No- B-616, KP Epitome, Nr. Lake, Makarba,
Ahmedabad - 380051, Gujarat, India.

Customer care : ☎ 7016970041 🌐 shreejiconchem@gmail.com 📧 www.huxxa.in